



# ASIA ENVIRO LAB

(An ISO 9001:2015, 14001:2015, 45001:2018 & MOEF Approved Lab)

Job Description : Environmental Testing, ETP/STP Manufacturing, ETP/STP Plant Operation Pollution NOC Etc.

Lab - H1-837, Near Pollution Control Board, RIICO Industrial Area, Bhiwadi, Dist. Alwar (Rajasthan)-301019

Ph. No. : 01493-294022, 09694666022, Email : asiaenvirolab@gmail.com, Website : www.asiaenvirolab.com

**Project Name & Address** : M/s ASD RKC J.V  
Village - KheriBattar, Plot No.2, Tehsil - CharkhiDadri,  
Dist - Bhiwani (HR)

**Sample No.** : AEL/ASD/011023/AA/27-52  
**Report No.** : AEL/ASD/01102023/AA/02  
**Reporting Date** : 06/01/2024  
**Testing Protocol/Method** : As per CPCB Guidelines/IS-5182  
**Name of Monitoring Location** : Near Office Area

## AMBIENT AIR QUALITY MONITORING RESULTS

Sampling dates	PM <sub>2.5</sub> (µg/m <sup>3</sup> )	PM <sub>10</sub> (µg/m <sup>3</sup> )	NO <sub>2</sub> (µg/m <sup>3</sup> )	SO <sub>2</sub> (µg/m <sup>3</sup> )	CO (mg/m <sup>3</sup> )
01-10-2023	35.6	92.9	20.4	10.9	0.52
05-10-2023	28.4	88.2	23.5	11.6	0.59
09-10-2023	29.6	109.3	19.2	9.4	0.64
12-10-2023	53.4	121.5	22.6	10.1	1.08
16-10-2023	55.2	125.3	19.1	8.7	0.96
19-10-2023	48.4	119.6	28.3	10.5	1.01
23-10-2023	43.3	112.8	19.2	8.8	0.63
26-10-2023	38.2	109.3	18.1	7.6	0.67
30-10-2023	25.1	97.4	19.2	6.4	0.76
03-11-2023	46.4	107.6	21.1	10.6	0.59
07-11-2023	38.4	101.2	19.7	8.9	0.65
10-11-2023	41.6	113.4	25.6	11.4	1.06
16-11-2023	47.6	117.1	29.6	12.9	0.92
18-11-2023	31.7	103.4	21.6	10.3	0.94
20-11-2023	55.8	131.6	23.2	10.8	0.82
25-11-2023	42.3	114.8	19.6	9.9	0.62
28-11-2023	49.6	129.1	18.3	9.5	0.85
01-12-2023	32.3	115.4	20.7	10.4	0.79
05-12-2023	31.2	86.2	17.6	8.3	0.68
09-12-2023	39.1	96.2	18.1	9.1	0.79
12-12-2023	29.4	90.3	19.4	7.9	0.66
16-12-2023	36.5	98.4	20.9	10.8	0.62
19-12-2023	28.5	89.7	16.8	7.5	0.67
23-12-2023	33.8	106.8	20.7	8.9	0.73
26-12-2023	41.7	110.7	21.9	10.6	0.72
30-12-2023	48.5	117.3	19.6	8.9	0.84
<b>Average</b>	<b>39.68</b>	<b>107.90</b>	<b>20.92</b>	<b>9.64</b>	<b>0.76</b>
<b>Maximum</b>	<b>55.8</b>	<b>131.6</b>	<b>29.6</b>	<b>12.9</b>	<b>1.08</b>
<b>Minimum</b>	<b>25.1</b>	<b>86.2</b>	<b>16.8</b>	<b>6.4</b>	<b>0.52</b>
<b>NAAQS@ Limit</b>	<b>60</b>	<b>100</b>	<b>80</b>	<b>80</b>	<b>4</b>

Note: -@NAAQ Standards - National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)] 18.11.2012.

Checked By

Note: 1. The result listed refer only to the tested samples and applicable parameters.

2. Sample will be destroyed one month from the date of issue of test certificate.

3. Any complaints about this report should be communicated within 7 days of issue of this report.

4. The report is Not to be reproduced-wholly or in part and can Not be used as an evidence in the Court of law and should Not be used in any advertising Media without our special permission in writing.







# ASIA ENVIRO LAB

(An ISO 9001:2015, 14001:2015, 45001:2018 & MOEF Approved Lab)

Job Description : Environmental Testing, ETP/STP Manufacturing, ETP/STP Plant Operation Pollution NOC Etc.

Lab - H1-837, Near Pollution Control Board, RIICO Industrial Area, Bhiwadi, Distt. Alwar (Rajasthan)-301019

Ph. No. : 01493-294022, 09694666022, Email : asiaenvirolab@gmail.com, Website : www.asiaenvirolab.com

Project Name& Address

: M/s ASD RKC JV

Village - KheriBattar, Plot No.2, Tehsil - CharkhiDadri,

Dist - Bhiwani (HR)

Sample No.

: AEL/ASD/011023/AA/53-78

Report No.

: AEL/ASD/01102023/AA/03

Reporting Date

: 06/01/2024

Testing Protocol/Method

: As per CPCB Guidelines/IS-5182

Name of Monitoring Location

: Back Side Area

## AMBIENT AIR QUALITY MONITORING RESULTS

Sampling dates	PM <sub>2.5</sub> (µg/m <sup>3</sup> )	PM <sub>10</sub> (µg/m <sup>3</sup> )	NO <sub>2</sub> (µg/m <sup>3</sup> )	SO <sub>2</sub> (µg/m <sup>3</sup> )	CO (mg/m <sup>3</sup> )
01-10-2023	76.4	122.1	9.1	5.1	0.57
05-10-2023	62.9	126.8	12.5	6.6	0.65
09-10-2023	73.9	121.9	15.1	6.9	0.8
12-10-2023	60.8	121.4	16.6	6.4	0.84
16-10-2023	59.6	88.4	17.1	8.6	0.64
19-10-2023	69.7	114.6	15.3	4.5	0.59
23-10-2023	65.9	125.3	15.8	8.2	0.84
26-10-2023	67.3	123.7	16.8	5.7	0.69
30-10-2023	74.1	120.8	11.1	5.2	0.59
03-11-2023	60.4	105.9	16.8	9.5	0.87
07-11-2023	45.3	98.6	11.2	6.3	0.79
10-11-2023	52.3	96.4	16.9	5.4	0.66
16-11-2023	59.9	108.6	16.4	4.6	0.58
18-11-2023	63.8	112.1	15.9	3.7	0.67
20-11-2023	65.1	118.3	18.3	5.1	0.59
25-11-2023	62.8	123.4	11.8	4.6	0.56
28-11-2023	61.4	105.4	12.6	5.9	0.71
01-12-2023	49.1	101.1	10.1	3.1	0.72
05-12-2023	55.3	97.1	13.9	6.5	0.74
09-12-2023	67.9	116.9	16.2	4.7	0.53
12-12-2023	61.4	120.6	9.4	4.9	0.68
15-12-2023	61.2	102.4	11.2	5.5	0.67
19-12-2023	64.8	113.6	8.8	6.4	0.69
23-12-2023	61.9	108.3	10.5	5.9	0.75
26-12-2023	63.6	125.4	15.3	4.9	0.77
30-12-2023	69.2	118.9	16.7	6.1	0.61
<b>Average</b>	<b>62.92</b>	<b>113.00</b>	<b>13.90</b>	<b>5.78</b>	<b>0.68</b>
<b>Maximum</b>	<b>76.4</b>	<b>126.8</b>	<b>18.3</b>	<b>9.5</b>	<b>0.87</b>
<b>Minimum</b>	<b>45.3</b>	<b>88.4</b>	<b>8.8</b>	<b>3.1</b>	<b>0.53</b>
<b>NAAQS@ Limit</b>	<b>60</b>	<b>100</b>	<b>80</b>	<b>80</b>	<b>4</b>

Note: -@NAAQ Standards - National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec-3(i)] 18.11.2012.

Checked By



Note: 1. The result listed refer only to the tested samples and applicable parameters.

2. Sample will be destroyed one month from the date of issue of test certificate.

3. Any complaints about this report should be communicated within 7 days of issue of this report.

4. The report is Not to be reproduced wholly or in part and can Not be used as an evidence in the court of law and should Not be used in any advertising Media without our special permission in writing.



# ASIA ENVIRO LAB

(An ISO 9001:2015, 14001:2015, 45001:2018 & MOEF Approved Lab)

Job Description : Environmental Testing, ETP/STP Manufacturing, ETP/STP Plant Operation Pollution NOC Etc.

Lab - H1-837, Near Pollution Control Board, RIICO Industrial Area, Bhiwadi, Distt. Alwar (Rajasthan)-301019

Ph. No. : 01493-294022, 09694666022, Email : asiaenvirolab@gmail.com, Website : www.asiaenvirolab.com

**Project Name & Address** : M/s ASD RRC J.V

Village - KheriBattar, Plot No.2, Tehsil - CharkhiDadri,  
Dist - Bhiwani (HR)

**Sample No.** : AEL/ASD/011023/AA/01-26

**Report No.** : AEL/ASD/01102023/AA/01

**Reporting Date** : 06/01/2024

**Testing Protocol/Method** : As per CPCB Guidelines/IS-5182

**Name of Monitoring Location** : Near Main Gate

## AMBIENT AIR QUALITY MONITORING RESULTS

Note: -@NAAQ Standards – National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)] 18.11.2012.

Sampling dates	PM <sub>2.5</sub> (µg/m <sup>3</sup> )	PM <sub>10</sub> (µg/m <sup>3</sup> )	NO <sub>2</sub> (µg/m <sup>3</sup> )	SO <sub>2</sub> (µg/m <sup>3</sup> )	CO (mg/m <sup>3</sup> )
01-10-2023	69.5	112.5	18.8	9.2	0.96
05-10-2023	71.3	115.1	16.2	8.9	1.01
09-10-2023	70.4	126.2	19.4	10.9	0.99
12-10-2023	66.5	108.1	17.3	9.6	0.62
16-10-2023	63.5	103.7	16.4	8.2	0.74
19-10-2023	72.1	116.1	18.2	8.7	0.96
23-10-2023	59.4	101.3	12.4	6.3	0.91
26-10-2023	55.6	98.1	11.6	7.2	0.88
30-10-2023	58.5	99.7	12.9	6.9	0.92
03-11-2023	63.2	107.2	14.4	6.7	0.79
07-11-2023	67.4	111.8	15.5	5.9	0.63
10-11-2023	68.9	119.9	19.3	10.8	0.91
16-11-2023	58.6	99.7	12.4	6.9	0.88
18-11-2023	65.5	103.6	17.5	10.9	0.79
20-11-2023	62.2	104.6	13.9	6.5	0.89
25-11-2023	76.2	125.2	20.4	9.9	0.85
28-11-2023	70.5	116.1	18.5	8.7	0.72
01-12-2023	73.1	123.4	19.8	9.5	0.67
05-12-2023	68.4	110.8	15.9	8.4	0.76
09-12-2023	76.3	118.4	19.3	10.6	0.71
12-12-2023	57.1	103.6	12.2	6.7	0.93
16-12-2023	73.6	117.0	16.7	8.8	0.74
19-12-2023	76.3	124.8	18.1	7.6	0.79
23-12-2023	66.8	114.2	17.9	8.5	0.76
26-12-2023	61.1	107.5	11.9	5.1	0.88
30-12-2023	75.9	121.7	19.4	10.5	0.82
<b>Average</b>	<b>67.23</b>	<b>111.93</b>	<b>16.40</b>	<b>8.38</b>	<b>0.83</b>
<b>Maximum</b>	<b>76.3</b>	<b>126.2</b>	<b>20.4</b>	<b>10.9</b>	<b>1.01</b>
<b>Minimum</b>	<b>55.6</b>	<b>98.1</b>	<b>11.6</b>	<b>5.1</b>	<b>0.62</b>
<b>NAAQS Limit</b>	<b>60</b>	<b>100</b>	<b>80</b>	<b>80</b>	<b>4</b>

Checked By

Approved By

Note: 1. The result listed refer only to the tested samples and applicable parameters.

2. Sample will be destroyed one month from the date of issue of test certificate.

3. Any complaints about this report should be communicated within 7 days of issue of this report

4. The report is Not to be reproduced-wholly or in part and can Not be used as an evidence in the Court of law and should Not be used in any advertising Media without our special permission in writing.