



ASIA ENVIRO LAB

(An ISO 9001:2015, 14001:2015, 45001:2018 & MOEF Approved Lab)

Job Description : Environmental Testing, ETP/STP Manufacturing, ETP/STP Plant Operation Pollution NOC Etc.

Lab - H1-837, Near Pollution Control Board, RIICO Industrial Area, Bhiwadi, Distt. Alwar (Rajasthan)-301019

Ph. No. : 01493-294022, 09694666022, Email : asiaenvirolab@gmail.com, Website : www.asiaenvirolab.com

Project Name & Address

: M/s ASD RKC J.V
Village - KheriBattar, Plot No.2, Tehsil - CharkhiDadri,
Dist - Bhiwani (HR)

Sample No.

: AEL/ASD/010723/AA/01-26

Report No.

: AEL/ASD/01072023/AA/01

Reporting Date

: 05/10/2023

Testing Protocol/Method

: As per CPCB Guidelines/IS-5182

Name of Monitoring Location

: Near Main Gate

AMBIENT AIR QUALITY MONITORING RESULTS

| Sampling dates | PM _{2.5} (µg/m ³) | PM ₁₀ (µg/m ³) | NO ₂ (µg/m ³) | SO ₂ (µg/m ³) | CO (mg/m ³) |
|----------------|--|---------------------------------------|--------------------------------------|--------------------------------------|-------------------------|
| 03-07-2023 | 38.4 | 68.2 | 20.8 | 9.5 | 0.59 |
| 06-07-2023 | 40.5 | 76.5 | 17.5 | 7.6 | 0.54 |
| 10-07-2023 | 37.1 | 67.6 | 18.3 | 9.1 | 0.72 |
| 13-07-2023 | 41.2 | 73.2 | 20.5 | 8.8 | 0.68 |
| 17-07-2023 | 42.1 | 72.3 | 19.9 | 10.1 | 0.67 |
| 20-07-2023 | 38.3 | 75.6 | 17.4 | 9.7 | 0.65 |
| 24-07-2023 | 40.2 | 78.1 | 16.6 | 7.5 | 0.63 |
| 25-07-2023 | 33.8 | 67.7 | 19.4 | 9.2 | 0.65 |
| 31-07-2023 | 42.2 | 71.3 | 18.6 | 9.1 | 0.69 |
| 01-08-2023 | 39.5 | 76.1 | 17.5 | 7.5 | 0.64 |
| 04-08-2023 | 35.4 | 72.2 | 19.1 | 9.8 | 0.63 |
| 08-08-2023 | 35.8 | 67.5 | 17.6 | 8.5 | 0.67 |
| 11-08-2023 | 38.6 | 69.6 | 18.3 | 9.8 | 0.68 |
| 14-08-2023 | 36.5 | 71.5 | 15.7 | 7.9 | 0.66 |
| 18-08-2023 | 36.1 | 76.6 | 14.3 | 7.6 | 0.58 |
| 22-08-2023 | 44.2 | 78.5 | 19.8 | 8.3 | 0.56 |
| 25-08-2023 | 43.2 | 70.5 | 23.4 | 10.8 | 0.58 |
| 30-08-2023 | 43.6 | 75.9 | 22.5 | 8.6 | 0.56 |
| 04-09-2023 | 47.1 | 78.1 | 21.5 | 10.3 | 0.52 |
| 08-09-2023 | 49.2 | 79.4 | 25.4 | 9.9 | 0.68 |
| 11-09-2023 | 46.5 | 81.3 | 24.4 | 11.9 | 0.72 |
| 15-08-2023 | 49.2 | 89.3 | 26.2 | 10.2 | 0.66 |
| 19-09-2023 | 45.4 | 84.3 | 20.4 | 9.8 | 0.74 |
| 23-09-2023 | 48.8 | 95.5 | 19.8 | 8.9 | 0.69 |
| 26-09-2023 | 51.2 | 90.5 | 21.4 | 10.8 | 0.73 |
| 29-09-2023 | 53.2 | 98.9 | 23.5 | 8.6 | 0.69 |
| Average | 42.20 | 77.16 | 19.99 | 9.22 | 0.65 |
| Maximum | 53.2 | 98.9 | 26.2 | 11.9 | 0.74 |
| Minimum | 33.8 | 67.5 | 14.3 | 7.5 | 0.52 |
| NAAQS@ Limit | 60 | 100 | 80 | 80 | 4 |

Note: NAAQS Standards - National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)] 18.11.2012.

Checked By

Note: 1. The result listed refer only to the tested samples and applicable parameters.

2. Sample will be destroyed one month from the date of issue of test certificate.

3. Any complaints about this report should be communicated within 7 days of issue of this report

4. The report is Not to be reproduced-wholly or in part and can Not be used as an evidence in the Court of law and should Not be used in any advertising Media without our special permission in writing.





ASIA ENVIRO LAB

(An ISO 9001:2015, 14001:2015, 45001:2018 & MOEF Approved Lab)

Job Description : Environmental Testing, ETP/STP Manufacturing, ETP/STP Plant Operation Pollution NOC Etc.

Lab - H1-837, Near Pollution Control Board, RIICO Industrial Area, Bhiwadi, Distt. Alwar (Rajasthan)-301019

Ph. No. : 01493-294022, 09694666022, Email : asiaenvirolab@gmail.com, Website : www.asiaenvirolab.com

Project Name & Address : M/s ASD RKC J.V
Village - KheriBattar, Plot No.2, Tehsil - CharkhiDadri,
Dist - Bhiwani (HR)
Sample No. : AEL/ASD/010723/AA/27-52
Report No. : AEL/ASD/01072023/AA/02
Reporting Date : 05/10/2023
Testing Protocol/Method : As per CPCB Guidelines/IS-5182
Name of Monitoring Location : Near Office Area

AMBIENT AIR QUALITY MONITORING RESULTS

| Sampling dates | PM _{2.5} (µg/m ³) | PM ₁₀ (µg/m ³) | NO ₂ (µg/m ³) | SO ₂ (µg/m ³) | CO (mg/m ³) |
|---------------------|--|---------------------------------------|--------------------------------------|--------------------------------------|-------------------------|
| 03-07-2023 | 36.4 | 72.3 | 18.8 | 9.5 | 0.58 |
| 06-07-2023 | 41.8 | 79.5 | 19.2 | 6.6 | 0.61 |
| 10-07-2023 | 39.7 | 76.6 | 17.4 | 8.4 | 0.72 |
| 13-07-2023 | 42.7 | 68.9 | 19.2 | 8.1 | 0.68 |
| 17-07-2023 | 36.5 | 70.6 | 17.4 | 11.5 | 0.66 |
| 20-07-2023 | 37.4 | 66.5 | 16.8 | 9.2 | 0.69 |
| 24-07-2023 | 32.7 | 63.3 | 17.5 | 7.4 | 0.74 |
| 25-07-2023 | 36.2 | 78.6 | 19.3 | 10.2 | 0.67 |
| 31-07-2023 | 37.7 | 77.5 | 20.5 | 9.8 | 0.75 |
| 01-08-2023 | 41.1 | 75.1 | 21.6 | 10.1 | 0.73 |
| 04-08-2023 | 37.7 | 73.3 | 16.9 | 11.5 | 0.71 |
| 08-08-2023 | 38.4 | 76.4 | 16.1 | 8.6 | 0.68 |
| 11-08-2023 | 39.2 | 71.5 | 18.6 | 10.1 | 0.66 |
| 14-08-2023 | 37.9 | 73.6 | 20.4 | 9.2 | 0.72 |
| 18-08-2023 | 41.4 | 69.2 | 18.1 | 9.8 | 0.63 |
| 22-08-2023 | 39.9 | 77.6 | 16.9 | 10.7 | 0.61 |
| 25-08-2023 | 33.2 | 74.6 | 16.5 | 7.2 | 0.73 |
| 30-08-2023 | 37.5 | 79.5 | 20.4 | 8.6 | 0.76 |
| 04-09-2023 | 43.5 | 86.5 | 22.5 | 10.5 | 0.82 |
| 08-09-2023 | 41.2 | 84.2 | 23.6 | 11.4 | 0.84 |
| 11-09-2023 | 47.5 | 88.9 | 24.4 | 10.1 | 0.89 |
| 15-09-2023 | 44.9 | 85.3 | 23.8 | 12.1 | 0.86 |
| 19-09-2023 | 46.5 | 84.5 | 25.8 | 12.8 | 0.88 |
| 23-09-2023 | 48.5 | 86.2 | 21.5 | 11.8 | 0.89 |
| 26-09-2023 | 53.4 | 94.1 | 26.4 | 13.6 | 0.85 |
| 29-09-2023 | 52.4 | 91.8 | 24.9 | 12.3 | 0.87 |
| Average | 40.97 | 77.93 | 20.17 | 10.04 | 0.74 |
| Maximum | 53.4 | 94.1 | 26.4 | 13.6 | 0.89 |
| Minimum | 32.7 | 63.3 | 16.1 | 6.6 | 0.58 |
| NAAQS@ Limit | 60 | 100 | 80 | 80 | 4 |

Note: -NAAQ Standards - National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec-3(i)] 18.11.2012.

Checked By



- Note: 1. The result listed refer only to the tested samples and applicable parameters.
2. Sample will be destroyed one month from the date of issue of test certificate.
3. Any complaints about this report should be communicated within 7 days of issue of this report.
4. The report is Not to be reproduced-wholly or in part and can Not be used as an evidence in the Court of law and should Not be used in any advertising Media without our special permission in writing.



ASIA ENVIRO LAB

(An ISO 9001:2015, 14001:2015, 45001:2018 & MOEF Approved Lab)

Job Description : Environmental Testing, ETP/STP Manufacturing, ETP/STP Plant Operation Pollution NOC Etc.

Lab - H1-837, Near Pollution Control Board, RIICO Industrial Area, Bhiwadi, Distt. Alwar (Rajasthan)-301019

Ph. No. : 01493-294022, 09694666022, Email : asiaenvirolab@gmail.com, Website : www.asiaenvirolab.com

Project Name& Address : M/s ASD RKC J.V
Village - KheriBattar, Plot No.2, Tehsil - CharkhiDadri,
Dist - Bhiwani (HR)

Sample No. : AEL/ASD/010723/AA/53-78
Report No. : AEL/ASD/01072023/AA/03
Reporting Date : 05/10/2023
Testing Protocol/Method : As per CPCB Guidelines/IS-5182
Name of Monitoring Location : Back Side Area

AMBIENT AIR QUALITY MONITORING RESULTS

| Sampling dates | PM _{2.5} (µg/m ³) | PM ₁₀ (µg/m ³) | NO ₂ (µg/m ³) | SO ₂ (µg/m ³) | CO (mg/m ³) |
|---------------------|--|---------------------------------------|--------------------------------------|--------------------------------------|-------------------------|
| 03-07-2023 | 36.5 | 60.5 | 15.5 | 8.7 | 0.59 |
| 06-07-2023 | 37.6 | 69.4 | 20.6 | 8.2 | 0.72 |
| 10-07-2023 | 33.8 | 63.8 | 18.5 | 8.9 | 0.66 |
| 13-07-2023 | 34.8 | 65.7 | 21.6 | 10.3 | 0.73 |
| 17-07-2023 | 33.9 | 67.2 | 20 | 7.8 | 0.69 |
| 20-07-2023 | 35.5 | 68.8 | 17.5 | 9.5 | 0.64 |
| 24-07-2023 | 39.8 | 62.4 | 16.4 | 6.3 | 0.62 |
| 25-07-2023 | 36.4 | 63.2 | 15.9 | 9.6 | 0.58 |
| 31-07-2023 | 40.3 | 60.8 | 16.4 | 5.9 | 0.66 |
| 01-08-2023 | 34.8 | 61.1 | 14.8 | 8.5 | 0.55 |
| 04-08-2023 | 36.5 | 72.1 | 22.4 | 8.3 | 0.69 |
| 08-08-2023 | 33.2 | 69.5 | 19.8 | 8.5 | 0.64 |
| 11-08-2023 | 37.8 | 74.4 | 21.6 | 10.2 | 0.71 |
| 14-08-2023 | 32.7 | 67.5 | 18.5 | 6.8 | 0.73 |
| 18-08-2023 | 36.2 | 68.9 | 20.7 | 9.5 | 0.75 |
| 22-08-2023 | 39.1 | 62.8 | 19.1 | 7.2 | 0.68 |
| 25-08-2023 | 34.6 | 68.9 | 21.3 | 10.6 | 0.79 |
| 30-08-2023 | 39.5 | 64.7 | 18.7 | 7.3 | 0.81 |
| 04-09-2023 | 37.4 | 73.2 | 20.9 | 7.9 | 0.86 |
| 08-09-2023 | 49.1 | 80.7 | 19.6 | 9.9 | 0.88 |
| 11-09-2023 | 54.6 | 96.2 | 22.4 | 10.7 | 0.91 |
| 15-08-2023 | 53.5 | 94.1 | 23.7 | 12.1 | 0.75 |
| 19-09-2023 | 50.1 | 89.6 | 22.2 | 11.6 | 0.82 |
| 23-09-2023 | 59.8 | 101.9 | 26.4 | 13.5 | 0.85 |
| 26-09-2023 | 56.2 | 95.4 | 25.5 | 10.2 | 0.87 |
| 29-09-2023 | 57.8 | 98.3 | 24.9 | 11.7 | 0.84 |
| Average | 41.21 | 73.89 | 20.19 | 9.22 | 0.73 |
| Maximum | 59.8 | 101.9 | 26.4 | 13.5 | 0.91 |
| Minimum | 32.7 | 60.5 | 14.8 | 5.9 | 0.55 |
| NAAQS@ Limit | 60 | 100 | 80 | 80 | 4 |

Note: @NAAQ Standards - National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec-3(i)] 18.11.2012.

Checked By



Approved By

- Note: 1. The result listed refer only to the tested samples and applicable parameters.
2. Sample will be destroyed one month from the date of issue of test certificate.
3. Any complaints about this report should be communicated within 7 days of issue of this report
4. The report is Not to be reproduced-wholly or in part and can Not be used as an evidence in the Court of law and should Not be used in any advertising Media without our special permission in writing.